





UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Vinginia 22313-1450 www.uspto.gov

 APPLICATION NO.
 FILING DATE
 FIRST NAMED INVENTOR
 ATTORNEY DOCKET NO.
 CONFIRMATION NO.

 09/845,255
 05/01/2001
 Tomohisa Yamamoto
 108421-00013
 2846

 7590
 07/08/2003

 ARENT FOX KINTNER PLOTKIN & KAHN, PLLC
 EXAMINER

Suite 600
1050 Connecticut Avenue, N.W.
Washington, DC 20036-5339

RUDE, TIMOTHY L

ART UNIT PAPER NUMBER
2871

DATE MAILED: 07/08/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
Office Action Summary		09/845,255	YAMAMOTO ET AL.
		Examiner	Art Unit
		Timothy L Rude	2871
Period for	The MAILING DATE of this communication app Reply	ears on the cover sheet with the c	
I HE M - Extens after S - If the p - If NO p - Failure - Any rep	PRTENED STATUTORY PERIOD FOR REPLY IAILING DATE OF THIS COMMUNICATION. ions of time may be available under the provisions of 37 CFR 1.13 IX (6) MONTHS from the mailing date of this communication. eriod for reply specified above is less than thirty (30) days, a reply eriod for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, ply received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	i6(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed  s will be considered timely. the mailing date of this communication.
1)🖂	Responsive to communication(s) filed on 13 M	<u>1ay 2003</u> .	
2a)□	This action is <b>FINAL</b> . 2b)⊠ This	s action is non-final.	
	Since this application is in condition for alloware closed in accordance with the practice under Ender Claims	nce except for formal matters, pr Ex parte Quayle, 1935 C.D. 11, 4	rosecution as to the merits is 53 O.G. 213.
4) 🛛 C	Claim(s) 1-16 is/are pending in the application.		
4a) Of the above claim(s) is/are withdrawn from consideration.			
	Claim(s) is/are allowed.		
<u></u>	Claim(s) <u>1-16</u> is/are rejected.		
	claim(s) is/are objected to.		
	claim(s) are subject to restriction and/or	election requirement	
Application	n Papers	orden or requirement.	
9)□ Tr	ne specification is objected to by the Examiner.		
10) Tr	e drawing(s) filed on is/are: a)□ accept	ed or b)⊡ objected to by the Exan	niner.
	Applicant may not request that any objection to the		
	e proposed drawing correction filed oni		
	If approved, corrected drawings are required in reply		•
12)□ Th	e oath or declaration is objected to by the Exal	miner.	
Priority un	der 35 U.S.C. §§ 119 and 120		
13) 🗌 A	cknowledgment is made of a claim for foreign p	oriority under 35 U.S.C. § 119(a)	-(d) or (f).
	All b)☐ Some * c)☐ None of:	,	(-)
1.	☐ Certified copies of the priority documents	have been received.	
2.	Certified copies of the priority documents		n No.
3.	Copies of the certified copies of the priority application from the International Bure the attached detailed Office action for a list of	y documents have been received au (PCT Rule 17 2(a))	d in this National Stage
	nowledgment is made of a claim for domestic		
a) The translation of the foreign language provisional application has been received.  15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.			
Attachment(s)	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	F. 120 (	and/01 121.
2) 🔲 Notice of	References Cited (PTO-892) Draftsperson's Patent Drawing Review (PTO-948) On Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal Pa	PTO-413) Paper No(s) atent Application (PTO-152)
Patent and Trader	nark Office		

Art Unit: 2871

#### **DETAILED ACTION**

#### Claims

1. Claim 1 is amended. Claim 16 is added.

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-10 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Park et al (Park) USPAT 6,372,354 B1 in view of Leenders et al (Leenders) USPAT 6,366,013 B1.

As to claims 1 and 16, Park discloses in Figure 1 an anti-static film for a display (materials embedded in hardcoat layer, col. 6, lines 19-23), comprising a hardcoat layer, 11, provided on the surface of a transparent substrate, 10, wherein said hard coat layer contains at least polymer (Applicant's resin) (col. 4, lines 6-11), Antimony Tin Oxide (Applicant's conductive material) (col. 4, lines 42-46), and silica (Applicant's low refractive index material) (col. 6, lines 10-23), surface electric resistance thereof is 1.7 X  $10^6 \Omega/\Box$  to 2.3 X  $10^6 \Omega/\Box$  (col. 7, lines 9-16) (less than Applicant's 1.0 X  $10^{11} \Omega/\Box$  or

Art Unit: 2871

less), and the 5-degree specular reflectance (col. 7, lines 31-38) is 4.0% or less (Figure 2).




FIG. 2

Park does not explicitly disclose the exact range of surface electrical resistance and the exact range of Y value obtained by 5 degree specular reflectance. However, the ranges taught by Park, above, are within the respective claimed ranges. Therefore the narrower ranges of Park read on the claimed ranges for surface electrical resistance and 5 degree specular reflectance.

Park does not explicitly disclose use of a hard coat comprising a UV curable acrylic resin.

Art Unit: 2871

Leenders teaches the formation of an anti-reflective coating (Abstract) and a hard coat layer comprising UV curable Acrylate (Applicant's UV curable acrylic resin) (col. 10, lines 22-27) to improve the indentation strength of the surface (col. 2, lines 23-37).

Leenders is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to use hard coat of UV curable acrylic resin to improve the indentation strength of the surface.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Park with the hard coat of UV curable acrylic resin of Leenders to improve the indentation strength of the surface.

As to claim 2, Park in view of Leenders discloses an anti-static film for a display, in accordance with claim 1.

Park in view of Leenders does not explicitly disclose a film, wherein said low refractive index material has a particle size of 5 to 500 nm.

Park discloses a film, wherein said low refractive index material has a particle size that is sub-micron (because particle size must necessarily be less than or equal to the thickness of the applied sub-micron thick particle layer) (col. 4, lines 30-34) Park also discloses a conductive particle size of 120 to 145 nanometers (within Applicant's 5 to 500 nm), with the reason, suggestion, or motivation of producing suitable films without producing unwanted streaking or unwanted opaqueness (col. 4, lines 52-54).

Art Unit: 2871

Therefore it would have been obvious to one having ordinary skill in the art of liquid crystal displays to combine the use conductive and low refractive index material particles, sized within the claimed range of 5 to 500 nanometers, with the hardcoat layer of Park in view of Leenders.

As to claim 3, Park discloses an anti-static film for a display, in accordance with claim 1, wherein said low refractive index material is contained at 1.4 wt. % to 2.3 wt. % (Applicant's 15 to 200 weight parts to 100 weight parts) of said conductive material (Table 1, col. 8, lines 20-28).

As to claim 4, Park discloses an anti-static film for a display, in accordance with claim 1, wherein said low refractive index material is silica sol (col. 6, lines 7-10).

As to claim 5, Park discloses an anti-static film for a display, in accordance with claim 2, wherein said low refractive index material is silica sol (col. 6, lines 7-10).

As to claim 6, Park discloses an anti-static film for a display, in accordance with claim 3, wherein said low refractive index material is silica sol (col. 6, lines 7-10).

As to claim 7, Park discloses an anti-static film for a display, in accordance with claim 1, wherein said conductive material is metal oxide particles (col. 4, lines 42-45).

Art Unit: 2871

As to claim 8, Park discloses an anti-static film for a display, in accordance with claim 2, wherein said conductive material is metal oxide particles (col. 4, lines 42-45).

As to claim 9, Park discloses an anti-static film for a display, in accordance with claim 3, wherein said conductive material is metal oxide particles (col. 4, lines 42-45).

As to claim 10, Park discloses an anti-static film for a display, in accordance with claim 4, wherein said conductive material is metal oxide particles (col. 4, lines 42-45).

3. Claims 11-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Park in view of Leenders, as applied to claims 1-10 and 16 above, in view of Hahn et al (Hahn) USPAT 4,422,721.

As to claims 11-15, Park in view of Leenders discloses an anti-static film for a display, in accordance with claims 1, 2, 4, and 7. Park also discloses the use of adhesion-promoting coatings as prior art (col. 2, lines 34-46) to promote adhesion of the anti-reflection coating.

Park in view of Leenders does not explicitly disclose a film, wherein at least two layers of said layers are colored, and said colors are made to be achromatic by mixing.

Hahn teaches the use of layers, wherein at least two layers of said layers are colored, to compensate for the indium tin oxide layer so as to maintain achromatic low

Art Unit: 2871

reflectivity in the visible spectrum (Applicant's said colors are made to be achromatic by mixing) (col. 7, lines 22-37).

Hahn is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to make at least two layers of said layers colored, and said colors are made to be achromatic by mixing so as to maintain achromatic low reflectivity in the visible spectrum.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Park in view of Leenders with the additional colored layer(s) of Hahn to compensate for the color of the conductive material in order to maintain achromatic low reflectivity.

## Response to Arguments

4. Applicant's arguments filed on 13 May 2003 have been fully considered but they are not persuasive.

# Applicant's ONLY arguments are as follows:

- (1) Regarding claims 1-10, Park fails to teach surface electric resistance thereof of 1.0 X  $10^{11}$   $\Omega$ / $_{\square}$  or less, and the 5-degree specular reflectance of 4.0% or less.
- (2) Contrary to the present invention, Park discloses a first layer of ITO and a second layer of SiO<sub>2</sub> rather than a monolayer structure.
  - (3) Park does not disclose UV curable resin.

Application/Control Number: 09/845,255 Page 8

Art Unit: 2871

(4) Office Action fails to provide motivation to use claimed ranges for surface electric resistance and specular reflectance.

- (5) Regarding claim 3, it is unclear what percentage of conductive material is disclosed by Park and the mixing ratios are unclear.
- (6) Regarding claims 11-15, Park in view of Han does not disclose an adhesion layer provided on a surface, in which a hard coat is not provided, werein at least two layers are colored, and said colors are made to be achromatic by mixing.

## Examiner's responses to Applicant's ONLY arguments are as follows:

- (1) It is respectfully pointed out that Park discloses a surface electric resistance of 1.7 X  $10^6$   $\Omega/\Box$  to 2.3 X  $10^6$   $\Omega/\Box$  (col. 7, lines 9-16) (less than Applicant's 1.0 X  $10^{11}$   $\Omega/\Box$  or less), with a minimum 5-degree specular reflectance (col. 7, lines 31-38) is about 0.3% and an overall 5-degree specular reflectance less than 4.0% as averaged over the visible light spectrum (Figure 2). This is considered better performance than the claimed invention per Applicant's enabling disclosure (specification, page 5 lines 9, 10, and 19-22).
- (2) It is respectfully pointed out that Park discloses reacting the layers which causes the SiO<sub>2</sub> gels to contract the ITO layer vertically and horizontally, resulting in a compact microstructure of a composite that is subsequently dried at the low temperature of 50 to 100 degrees C (col. 5, line 60 through col. 6, line 5). Please note that the finished structure of Park in view of Leenders reads on the device claims as broadly written despite differences in the steps of the method of making.

Application/Control Number: 09/845,255 Page 9
Art Unit: 2871

- (3) It is respectfully pointed out that Leenders, now applied, teaches the use of UV curable acrylic resin with motivation to combine, per rejections above.
- (4) It is respectfully pointed out that Park discloses narrower ranges than are claimed and the narrower ranges fall entirely within the ranges as claimed which renders motivation moot. Please note that a prior art teaching of a narrower range that falls entirely within the claimed range reads on the claimed invention.
- (5) It is respectfully pointed out that the percentage of conductive material is given in the first column of table 1 in column 8 of Park. Also note coating thickness (col. 8, lines 9-20) (Applicant's mixing ratio). Please note that Applicant's claimed mixing ratio is easily derived from the percentage and thickness values of Park.
- (6) It is respectfully pointed out that Park discloses the use of adhesion-promoting coatings as prior art (col. 2, lines 34-46) to promote adhesion of the anti-reflection coating.

Park does not explicitly disclose a film, wherein at least two layers of said layers are colored, and said colors are made to be achromatic by mixing.

Hahn teaches the use of layers, wherein at least two layers of said layers are colored, to compensate for the indium tin oxide layer so as to maintain achromatic low reflectivity in the visible spectrum (Applicant's said colors are made to be achromatic by mixing) (col. 7, lines 22-37). Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the films of Park with the additional colored layer of Hahn to compensate for the color of the

Art Unit: 2871

Page 10

conductive material in order to maintain achromatic low reflectivity (col. 7, lines 22-37), per rejection above.

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L Rude whose telephone number is (703) 305-0418. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H Kim can be reached on (703) 305-3492. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9318 for regular communications and (703) 872-9319 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4900.

TLR

June 25, 2003

Timothy L Rude Examiner Art Unit 2871